

Nonwovens Standard Procedures – Edition 2015
Table of Contents

Description	Method number*	Normative References
1) GUIDANCE DOCUMENTS		
Standard Terminology Relating to the Nonwoven Industry	NWSP 001.0.R1 (15)	
Drafting a NWSP Standard Procedure	NWSP 002.0.R1 (15)	
Standard Atmospheres for Conditioning and/or Testing	NWSP 003.0.R0 (15)	ISO 139: 2005, reviewed and confirmed 2014
Associations Worldwide	NWSP 004.0.R1 (15)	
Nonwoven Sampling	NWSP 005.0.R0 (15)	
2) ABSORPTION		
Three Standard Test Methods for Nonwoven Absorption	NWSP 010.1.R0 (15)	ISO 9073-6: 2000, reviewed and confirmed 2011
Rate of Sorption of Wiping Materials	NWSP 010.2.R1 (15)	
Nonwovens Demand Absorbency	NWSP 010.3.R0 (15)	ISO 9073-12: 2002, reviewed and confirmed 2013
Evaluation of Oil and Fatty Liquids Absorption	NWSP 010.4.R0 (15)	
3) ABRASION RESISTANCE		
Abrasion Resistance of Nonwoven Fabrics- Inflated Diaphragm Apparatus	NWSP 020.1.R0 (15)	

Abrasion Resistance of Nonwoven Fabrics- Flexing and Abrasion Method	NWSP 020.2.R0 (15)	
Abrasion Resistance of Nonwoven Materials (Rotary Platform, Double-Head Method)	NWSP 020.4.R0 (15)	
Abrasion Resistance of Nonwoven Fabrics using a Nonwoven Modified Martindale Abrasion Test Method	NWSP 020.5.R0 (15)	
4) BURSTING STRENGTH		
Hydraulic Bursting Strength of Nonwoven Materials- Motor Driven Diaphragm Bursting Strength Tester Method	NWSP 030.1.R0 (15)	
Nonwovens Burst	NWSP 030.2.R0 (15)	
5) ELECTROSTATIC PROPERTIES		
Surface Resistivity of Nonwoven Fabrics	NWSP 040.1.R1 (15)	
Electrostatic Decay of Nonwoven Fabrics	NWSP 040.2.R0 (15)	
6) OPTICAL PROPERTIES		
Optical Properties (Opacity) of Nonwoven Fabrics (INDA)	NWSP 060.1.R0 (15)	
Optical Properties (Brightness) of Nonwoven Fabrics (INDA)	NWSP 060.2.R0 (15)	
Nonwoven Brightness (EDANA)	NWSP 060.3.R1 (15)	
Nonwoven Opacity (EDANA)	NWSP 060.4.R0 (15)	

7) PERMEABILITY		
Air Permeability of Nonwoven Materials	NWSP 070.1.R0 (15)	ISO 9073-15: 2007, reviewed and confirmed 2011,
Nonwoven Coverstock Liquid Strike-Through Time Using Simulated Urine	NWSP 070.3.R0 (15)	ISO 9073-8: 1995, reviewed and confirmed 2011
Water Vapor Transmission Rates of 500 to 100,000 gm/m ² /day Mocon/INDA	NWSP 070.4.R0 (15)	
Water Vapor Transmission Rate by the Principle of Measurement of Relative Humidity in a Dry cell Mocon/EDANA, Part 1	NWSP 070.5.R0 (15)	
Water Vapor Transmission Rate by the Principle of Measuring the Time to Increase Humidity Lyssy/EDANA, Part 2	NWSP 070.6.R0 (15)	
Repeated Liquid Strike-Through Time (Simulated Urine)	NWSP 070.7.R0 (15)	ISO 9073-13: 2006, reviewed and confirmed 2009
Wetback After Repeated Strike-Through Time (Simulated Urine)	NWSP 070.8.R0 (15)	ISO 9073-14: 2006, reviewed and confirmed 2009
Nonwoven Adult Incontinence Products: Rate of Acquisition and Re-Wet Test	NWSP 070.9.R1 (15)	

8) REPELLENCY		
Surface Wetting Spray Test	NWSP 080.1.R0 (15)	
Penetration by Water (Rain Test) for Nonwoven Fabrics	NWSP 080.2.R0 (15)	
Evaluation of Water Penetration (Spray Impact Test) of Nonwoven Fabrics	NWSP 080.3.R0 (15)	ISO 9073-17: 2008 reviewed and confirmed 2011
Saline Repellency Using the Automated Mason Jar End Point Detector	NWSP 080.5.R0 (15)	
Evaluation of Water Resistance (Hydrostatic Pressure) Test	NWSP 080.6.R0 (15)	ISO 9073-16: 2007 reviewed and confirmed 2011
Penetration by Oil (Hydrocarbon Resistance)	NWSP 080.7.R0 (15)	
Alcohol Repellency of Nonwoven Fabrics	NWSP 080.8.R0 (15)	
Nonwoven Run Off	NWSP 080.9.R0 (15)	ISO 9073-11: 2002, reviewed and confirmed 2013
Nonwovens Coverstock Wetback	NWSP 080.10.R0 (15)	
Nonwoven Wet Barrier Mason Jar	NWSP 080.11.R0 (15)	
9) STIFFNESS		
Stiffness of Nonwoven Fabrics Using the Cantilever Test (INDA)	NWSP 090.1.R0 (15)	ISO 9073-7: 1995, reviewed and confirmed 2011
Stiffness of Nonwoven Fabrics Using the Gurley Tester	NWSP 090.2.R0 (15)	
Handle-O-Meter Stiffness of Nonwoven Fabrics	NWSP 090.3.R0 (15)	
Nonwovens Cusick Drape	NWSP 090.4.R0 (15)	ISO 9073-9: 2008, reviewed and confirmed 2011,

Nonwovens Bending Length (EDANA)	NWSP 090.5.R0 (15)	
Evaluation of Drapeability Including Drape Coefficient of Nonwoven Fabrics	NWSP 090.6.R0 (15)	ISO 9073-9: 2008, reviewed and confirmed 2011,
10) TEAR STRENGTH		
Tearing Strength of Nonwoven Fabrics by Falling-Pendulum (Elmendorf) Apparatus	NWSP 100.1.R0 (15)	
Tearing Strength of Nonwoven Fabrics by the Trapezoid Procedure	NWSP 100.2.R1 (15)	ISO 9073-4: 1997, reviewed and confirmed 2013
Tearing Strength of Nonwoven Fabrics by the Tongue (Single Rip) Procedure using the Constant-Rate-of-Extension Tensile Testing Machine	NWSP 100.3.R0 (15)	
11) TENSILE		
Breaking Strength and Elongation of Nonwoven Materials (Grab Strength Test)	NWSP 110.1.R0 (15)	ISO 9073-18: 2007, reviewed and confirmed 2010
Internal Bond Strength of Nonwoven Fabrics	NWSP 110.3.R0 (15)	
Breaking Force and Elongation of Nonwoven Materials (Strip Method)	NWSP 110.4.R0 (15)	ISO 9073-3: 1989, reviewed and confirmed 2010
Resistance to Mechanical Penetration (Ball Burst Procedure) of Nonwoven Fabrics	NWSP 110.5.R0 (15)	ISO 9073-5:2008, reviewed and confirmed 2012

12) THICKNESS		
Thickness of Nonwoven Fabrics (INDA)	NWSP 120.1.R0 (15)	
Thickness of Highloft Nonwoven Fabrics	NWSP 120.2.R0 (15)	
Measuring Compression and Recovery of Highloft Nonwoven Fabrics	NWSP 120.3.R0 (15)	
Determination of Compression and Recovery of Highloft Nonwoven Fabrics Using Weights and Plates. Method 1: at room temperature	NWSP 120.4.R1 (15)	
Determination of Compression and Recovery of Highloft Nonwoven Fabrics Using Weights and Plates. Method 2: at elevated temperature	NWSP 120.5.R1 (15)	
Nonwoven Thickness (EDANA)	NWSP 120.6.R0 (15)	ISO 9073-2: 1995, reviewed and confirmed 2011
13) WEIGHT		
Mass per Unit Area	NWSP 130.1.R0 (15)	ISO 9073-1: 1989, reviewed and confirmed 2010
14) BINDER/APPERANCE/DRY CLEANING		
Resin Binder Distribution and Binder Penetration, Analysis of Polyester Nonwoven Fabrics	NWSP 150.1.R0 (15)	
Appearance and Integrity of Highloft Batting After Refurbishing	NWSP 150.2.R0 (15)	

15) LINTING		
Resistance to Linting of Nonwoven Fabrics (Dry)	NWSP 160.1.R0 (15)	ISO 9073-10: 2003, reviewed and confirmed 2014
Aqueous Method for Determining Releases of Particulates (Wet)	NWSP 160.2.R0 (15)	
Measuring Fibrous Debris from Nonwoven Fabrics	NWSP 160.3.R0 (15)	
Determining Fibrous Debris from Hydrophobic Nonwoven Fabrics	NWSP 160.4.R0 (15)	
16) SUPERABSORBENT MATERIALS		
Polyacrylate Superabsorbent Powders- Determination of pH	NWSP 200.0.R2 (15)	ISO 17190-1:2001
Polyacrylate Superabsorbent Powders- Determination of the Amount of Residual Acrylate Monomers	NWSP 210.0.R2 (15)	ISO 17190-2:2001
Polyacrylate Superabsorbent Powders-Determination of the Particle Size Distribution by Sieve Fractionation	NWSP 220.0.R2 (15)	ISO 17190-3:2001
Polyacrylate Superabsorbent Powders-Estimation of the Moisture Content as Weight Loss Upon Heating	NWSP 230.0.R2 (15)	ISO 17190-4:2001
Polyacrylate Superabsorbent Powders- Determination of the Free Swell Capacity in Saline by Gravimetric Measurement	NWSP 240.0.R2 (15)	ISO 17190-5:2001
Polyacrylate Superabsorbent Powders- Determination of the Fluid Retention Capacity in Saline Solution by Gravimetric Measurement Following Centrifugation	NWSP 241.0.R2 (15)	ISO 17190-6:2001
Polyacrylate Superabsorbent Powders- Gravimetric Determination of Absorption Against Pressure	NWSP 242.0.R2 (15)	ISO 17190-7:2001
Polyacrylate Superabsorbent Powders- Determination of the Permeability Dependent Absorption Under Pressure of Saline Solution by Gravimetric Measurement	NWSP 243.0.R2 (15)	

Polyacrylate Superabsorbent Powders- Gravimetric Determination of Flow Rate and Bulk Density	NWSP 251.0.R2 (15)	Merge of two WSP methods, the corresponding ISO standards are ISO 17190-8:2001 + ISO 17190-9:2001
Polyacrylate Superabsorbent Powders- Determination of Extractable Polymer Content by Potentiometric Titration	NWSP 270.0.R2 (15)	ISO 17190-10:2001
17) BACTERIAL		
Nonwovens Bacterial Filtration Efficiency	NWSP 300.0.R0 (15)	
Dry Bacterial Penetration	NWSP 301.0.R0 (15)	ISO 22612:2005, reviewed 2014
Nonwoven Wet Bacterial Penetration	NWSP 302.0.R0 (15)	ISO 22610:2006, reviewed 2013
18) FORMALDEHYDE		
Free and Hydrolyzed Formaldehyde in Nonwovens (Water Extraction Method) Method I	NWSP 310.1.R1 (15)	
Free and Hydrolyzed Formaldehyde Extracted at Stressed Extraction Conditions in Nonwovens Method II	NWSP 311.1.R1 (15)	
Determination of Free Formaldehyde in Nonwovens by Liquid Chromatography Method III	NWSP 312.0.R1 (15)	
Determination of Released Formaldehyde in the Processing of Aqueous Systems Method IV	NWSP 313.1.R1 (15)	

19) Absorbent Hygiene Products		
Menstrual Tampons Absorbency- Syngina Method	NWSP 350.1.R1 (15)	
Determination of Ethanol- Extractable Organotin Species in Absorbent Hygiene Products and Materials, Absorbent Hygiene Materials-Organotin I	NWSP 351.0.R0 (15)	
Determination of Organotin Species Extracted From Absorbent Hygiene Products and Materials With Synthetic Urine, Absorbent Hygiene Products – Organotin II	NWSP 352.0.R0 (15)	
Determination of Aceton Extractable Finish on Nonwoven	NWSP 353.0.R0 (15)	
Absorption Before Leakage Using an Adult Mannequin	NWSP 354.0.R1 (15)	ISO standard in process
20) Supplementary Procedures		
Surface Linting of Nonwovens	NWSP 400.0.R1 (15)	
Composites Lamination Strength	NWSP 401.0.R0 (15)	
Cup Crush	NWSP 402.0.R0 (15)	
Testing High Loft and Needled Batting For Flame Resistance and Thermal Transfer Properties	NWSP 403.0.R0 (15)	
Homogenization of Absorbent Hygiene Products Using a Laboratory Cutting Mill	NWSP 404.0.R0 (15)	
Polyacrylate Superabsorbent Powders- Determining the Content of Respirable Particles	NWSP 405.0.R0 (15)	
Polyacrylate Superabsorbent Powders- Determination of Dust in Collection Cassettes by Sodium Atomic Absorption/Emission Spectrometry	NWSP 406.0.R0 (15)	
Fiber Orientation Distribution of Nonwoven Fabrics	NWSP 407.0.R0 (15)	

21) FIBER GLASS MATS Pending due to current revision by TAPPI/INDA		
Guidance Document: The use of Modified TAPPI Procedures for Sampling and Lot Acceptance, Stiffness, Tear Resistance, and Thickness		
Guidance Document: Sample Location for Fiber Glass Mat Sheets		
Guidance Document: Test conditions for Fiber Glass Mat Test Methods		
Tensile Strength and Elongation at Break for Fiber Glass Mats		
Basis Weight of Fiber Glass Mats		
Moisture Content of Fiber Glass Mats		
Loss on Ignition of Fiber Glass Mats		
Fiber Glass Mat Uniformity (visual defects)		
Average Fiber Diameter of Fiber Glass Mats		

* Method Number

NWSP nnn.nn.Rr (yy)

NWSP → NonWovens Standard Procedure

nnn.nn → Numbering system, historically chosen

Rr → Revision number

(yy) → Year of last release (publication), e.g. 2015