

**Nonwovens Standard Procedures – Edition 2021**  
**Table of Contents**

Description	Method number*	Normative References
<b>1) GUIDANCE DOCUMENTS</b>		
Standard Terminology Relating to the Nonwoven Industry	NWSP 001.0.R1 (15)	
Drafting a NWSP Standard Procedure	NWSP 002.0.R2 (19)	
Standard Atmospheres for Conditioning and/or Testing	NWSP 003.0.R0 (20)	ISO 139: 2005, reviewed and confirmed 2014
Associations Worldwide	NWSP 004.0.R1 (20)	
Nonwoven Sampling	NWSP 005.0.R0 (20)	
<b>2) ABSORPTION</b>		
Three Standard Test Methods for Nonwoven Absorption	NWSP 010.1.R0 (20)	ISO 9073-6: 2000, reviewed and confirmed 2011
Rate of Sorption of Wiping Materials	NWSP 010.2.R1 (20)	
Nonwovens Demand Absorbency	NWSP 010.3.R0 (20)	ISO 9073-12: 2002, reviewed and confirmed 2013
Evaluation of Oil and Fatty Liquids Absorption	NWSP 010.4.R0 (20)	
<b>3) ABRASION RESISTANCE</b>		
Abrasion Resistance of Nonwoven Fabrics- Inflated Diaphragm Apparatus	NWSP 020.1.R0 (20)	
Abrasion Resistance of Nonwoven Fabrics- Flexing and Abrasion Method	NWSP 020.2.R0 (15)	
Abrasion Resistance of Nonwoven Materials (Rotary Platform, Double-Head Method)	NWSP 020.4.R0 (15)	

Abrasion Resistance of Nonwoven Fabrics using a Nonwoven Modified Martindale Abrasion Test Method	NWSP 020.5.R0 (20)	
<b>4) BURSTING STRENGTH</b>		
Hydraulic Bursting Strength of Nonwoven Materials- Motor Driven Diaphragm Bursting Strength Tester Method	NWSP 030.1.R0 (20)	
Nonwovens Burst	NWSP 030.2.R0 (20)	
<b>5) ELECTROSTATIC PROPERTIES</b>		
Surface Resistivity of Nonwoven Fabrics	NWSP 040.1.R1 (20)	
Electrostatic Decay of Nonwoven Fabrics	NWSP 040.2.R0 (20)	
<b>6) OPTICAL PROPERTIES</b>		
Optical Properties (Opacity) of Nonwoven Fabrics (INDA)	NWSP 060.1.R0 (20)	
Optical Properties (Brightness) of Nonwoven Fabrics (INDA)	NWSP 060.2.R0 (20)	
Nonwoven Brightness (EDANA)	NWSP 060.3.R1 (20)	
Nonwoven Opacity (EDANA)	NWSP 060.4.R0 (20)	
<b>7) PERMEABILITY</b>		
Air Permeability of Nonwoven Materials	NWSP 070.1.R0 (20)	ISO 9073-15: 2007, reviewed and confirmed 2011,
Nonwoven Coverstock Liquid Strike-Through Time Using Simulated Urine	NWSP 070.3.R1 (19)	ISO 9073-8: 1995, reviewed and confirmed 2011
Water Vapor Transmission Rates of 500 to 100,000 gm/m <sup>2</sup> /day Mocon/INDA	NWSP 070.4.R0 (15)	

Water Vapor Transmission Rate by the Principle of Measurement of Relative Humidity in a Dry cell Mocon/EDANA, Part 1	NWSP 070.5.R0 (15)	
Water Vapor Transmission Rate by the Principle of Measuring the Time to Increase Humidity Lyssy/EDANA, Part 2	NWSP 070.6.R0 (20)	
Repeated Liquid Strike-Through Time (Simulated Urine)	NWSP 070.7.R2 (20)	ISO 9073-13: 2006, reviewed and confirmed 2009
Wetback After Repeated Strike-Through Time (Simulated Urine)	NWSP 070.8.R1 (19)	ISO 9073-14: 2006, reviewed and confirmed 2009
Nonwoven Adult Incontinence Products: Centrifugal Liquid Retention Capacity Test (Dry Weight vs. Wet Spun Weight)	NWSP 070.10.R2 (19)	

<b>8) REPELLENCY</b>		
Surface Wetting Spray Test	NWSP 080.1.R0 (20)	
Evaluation of Water Penetration (Spray Impact Test) of Nonwoven Fabrics	NWSP 080.3.R1 (19)	ISO 9073-17: 2008 reviewed and confirmed 2011
Saline Repellency Using the Automated Mason Jar End Point Detector	NWSP 080.5.R0 (20)	
Evaluation of Water Resistance (Hydrostatic Pressure) Test	NWSP 080.6.R0 (15)	ISO 9073-16: 2007 reviewed and confirmed 2011
Penetration by Oil (Hydrocarbon Resistance)	NWSP 080.7.R0 (15)	
Alcohol Repellency of Nonwoven Fabrics	NWSP 080.8.R0 (20)	
Nonwoven Run Off	NWSP 080.9.R0 (19)	ISO 9073-11: 2002, reviewed and confirmed 2013
Nonwovens Coverstock Wetback	NWSP 080.10.R2 (20)	
Nonwoven Wet Barrier Mason Jar	NWSP 080.11.R0 (20)	
<b>9) STIFFNESS</b>		
Stiffness of Nonwoven Fabrics Using the Cantilever Test (INDA)	NWSP 090.1.R0 (20)	ISO 9073-7: 1995, reviewed and confirmed 2011
Stiffness of Nonwoven Fabrics Using the Gurley Tester	NWSP 090.2.R0 (20)	
Handle-O-Meter Stiffness of Nonwoven Fabrics	NWSP 090.3.R0 (20)	
Nonwovens Cusick Drape	NWSP 090.4.R0 (20)	ISO 9073-9: 2008, reviewed and confirmed 2011,
Nonwovens Bending Length	NWSP 090.5.R0 (20)	
Evaluation of Drapeability Including Drape Coefficient of Nonwoven Fabrics	NWSP 090.6.R0 (20)	ISO 9073-9: 2008, reviewed and confirmed 2011,

<b>10) TEAR STRENGTH</b>		
Tearing Strength of Nonwoven Fabrics by Falling-Pendulum (Elmendorf) Apparatus	NWSP 100.1.R0 (20)	
Tearing Strength of Nonwoven Fabrics by the Trapezoid Procedure	NWSP 100.2.R1 (20)	ISO 9073-4: 1997, reviewed and confirmed 2013
Tearing Strength of Nonwoven Fabrics by the Tongue (Single Rip) Procedure using the Constant-Rate-of-Extension Tensile Testing Machine	NWSP 100.3.R0 (20)	
<b>11) TENSILE</b>		
Breaking Strength and Elongation of Nonwoven Materials (Grab Strength Test)	NWSP 110.1.R0 (20)	ISO 9073-18: 2007, reviewed and confirmed 2010
Internal Bond Strength of Nonwoven Fabrics	NWSP 110.3.R0 (20)	
Breaking Force and Elongation of Nonwoven Materials (Strip Method)	NWSP 110.4.R0 (20)	ISO 9073-3: 1989, reviewed and confirmed 2010
Resistance to Mechanical Penetration (Ball Burst Procedure) of Nonwoven Fabrics	NWSP 110.5.R0 (20)	ISO 9073-5:2008, reviewed and confirmed 2012

<b>12) THICKNESS</b>		
Thickness of Nonwoven Fabrics	NWSP 120.1.R0 (20)	
Thickness of Highloft Nonwoven Fabrics	NWSP 120.2.R0 (20)	
Measuring Compression and Recovery of Highloft Nonwoven Fabrics	NWSP 120.3.R0 (20)	
Determination of Compression and Recovery of Highloft Nonwoven Fabrics Using Weights and Plates. Method 1: at room temperature	NWSP 120.4.R1 (20)	
Determination of Compression and Recovery of Highloft Nonwoven Fabrics Using Weights and Plates. Method 2: at elevated temperature	NWSP 120.5.R1 (20)	
Nonwoven Thickness	NWSP 120.6.R0 (15)	ISO 9073-2: 1995, reviewed and confirmed 2011
<b>13) WEIGHT</b>		
Mass per Unit Area	NWSP 130.1.R0 (20)	ISO 9073-1: 1989, reviewed and confirmed 2010
<b>14) BINDER/APPERANCE/DRY CLEANING</b>		
Resin Binder Distribution and Binder Penetration, Analysis of Polyester Nonwoven Fabrics	NWSP 150.1.R0 (20)	
Appearance and Integrity of Highloft Batting After Refurbishing	NWSP 150.2.R0 (15)	

<b>15) LINTING</b>		
Resistance to Linting of Nonwoven Fabrics(Dry)	NWSP 160.1.R0 (15)	ISO 9073-10: 2003, reviewed and confirmed 2014
Aqueous Method for Determining Releases of Particulates (Wet)	NWSP 160.2.R0 (20)	
Measuring Fibrous Debris from Nonwoven Fabrics	NWSP 160.3.R1 (19)	
Determining Fibrous Debris from Hydrophobic Nonwoven Fabrics	NWSP 160.4.R0 (15)	
<b>16) SUPERABSORBENT MATERIALS</b>		
Polyacrylate Superabsorbent Powders- Determination of pH	NWSP 200.0.R2 (19)	ISO 17190-1:2001
Polyacrylate Superabsorbent Powders- Determination of the Amount of Residual Acrylate Monomers	NWSP 210.0.R2 (19)	ISO 17190-2:2001
Polyacrylate Superabsorbent Powders-Determination of the Particle Size Distribution by Sieve Fractionation	NWSP 220.0.R2 (19)	ISO 17190-3:2001
Polyacrylate Superabsorbent Powders-Estimation of the Moisture Content as Weight Loss Upon Heating	NWSP 230.0.R2 (19)	ISO 17190-4:2001
Polyacrylate Superabsorbent Powders- Determination of the Free Swell Capacity in Saline by Gravimetric Measurement	NWSP 240.0.R2 (19)	ISO 17190-5:2001
Polyacrylate Superabsorbent Powders- Determination of the Fluid Retention Capacity in Saline Solution by Gravimetric Measurement Following Centrifugation	NWSP 241.0.R2 (19)	ISO 17190-6:2001
Polyacrylate Superabsorbent Powders- Gravimetric Determination of Absorption Against Pressure	NWSP 242.0.R2 (19)	ISO 17190-7:2001
Polyacrylate Superabsorbent Powders- Determination of the Permeability Dependent Absorption Under Pressure of Saline Solution by Gravimetric Measurement	NWSP 243.0.R2 (19)	

Polyacrylate Superabsorbent Powders- Gravimetric Determination of Flow Rate and Bulk Density	NWSP 251.0.R2 (19)	Merge of two WSP methods, the corresponding ISO standards are ISO 17190-8:2001 + ISO 17190-9:2001
Polyacrylate Superabsorbent Powders-Determination of Extractable Polymer Content by Potentiometric Titration	NWSP 270.0.R2 (19)	ISO 17190-10:2001
<b>17) BACTERIAL</b>		
Nonwovens Bacterial Filtration Efficiency	NWSP 300.0.R0 (20)	
Dry Bacterial Penetration	NWSP 301.0.R0 (15)	ISO 22612:2005, reviewed 2014
Nonwoven Wet Bacterial Penetration	NWSP 302.0.R0 (15)	ISO 22610:2006, reviewed 2013
<b>18) FORMALDEHYDE</b>		
Free and Hydrolyzed Formaldehyde in Nonwovens (Water Extraction Method) Method I	NWSP 310.1.R1 (15)	
Free and Hydrolyzed Formaldehyde Extracted at Stressed Extraction Conditions in Nonwovens Method II	NWSP 311.1.R1 (15)	
Determination of Free Formaldehyde in Nonwovens by Liquid Chromatography Method III	NWSP 312.0.R1 (15)	
Determination of Released Formaldehyde in the Processing of Aqueous Systems Method IV	NWSP 313.1.R1 (15)	



<b>19) Absorbent Hygiene Products</b>		
Menstrual Tampons Absorbency- Syngina Method	NWSP 350.1.R1 (20)	
Determination of Ethanol- Extractable Organotin Species in Absorbent Hygiene Products and Materials, Absorbent Hygiene Materials-Organotin I	NWSP 351.0.R0 (20)	
Determination of Organotin Species Extracted From Absorbent Hygiene Products and Materials With Synthetic Urine, Absorbent Hygiene Products – Organotin II	NWSP 352.0.R0 (20)	
Determination of Aceton Extractable Finish on Nonwoven	NWSP 353.0.R0 (15)	
Absorption Before Leakage Using an Adult Mannequin	NWSP 354.0.R1 (15)	ISO standard in process
Determination of Trace chemicals Extracted from Absorbent Hygiene Products (AHPs) using Simulated Urine/Menses Part 1: Milling of AHPs to Produce a Homgenized Sample	NWSP 360.1.R0 (20)	
Determination of Trace Chemicals Extracted from Absorbent Hygiene Products (AHPs) using Simulated Urine/Menses Part 2: Extraction of Trace Chemicals for Homogenized AHPs into a Simulated Urnine/Menses Solution	NWSP 360.2.R0 (20)	
Determination of Trace Chemicals Extracted from Absorbent Hygiene Products (AHPs) using Simulated Urine/Menses Part 3: Analysis of Trace Chemicals in Aqueous Extracts (biological fluid stimulants) of AHPs	NWSP 360.3.R0 (20)	
NAFC LEG Elastic Elongation	NWSP 555.1.R1 (20)	
NAFC Air Permeability of Nonwoven Materials	NWSP 570.1.R1 (20)	
NAFC Rate of Absorbtion and Rewet Test	NWSP 570.9.R2 (20)	

<b>20) Supplementary Procedures</b>		
Surface Linting of Nonwovens	NWSP 400.0.R1 (20)	
Composites Lamination Strength	NWSP 401.0.R0 (20)	
Cup Crush	NWSP 402.0.R0 (20)	
Testing High Loft and Needled Batting For Flame Resistance and Thermal Transfer Properties	NWSP 403.0.R0 (20)	
Homogenization of Absorbent Hygiene Products Using a Laboratory Cutting Mill	NWSP 404.0.R0 (20)	
Fiber Orientation Distribution of Nonwoven Fabrics	NWSP 407.0.R0 (20)	

\* Method Number

NWSP nnn.nn.Rr (yy)

- NWSP → NonWovens Standard Procedure
- nnn.nn → Numbering system, historically chosen
- Rr → Revision number
- (yy) → Year of last release (publication), e.g. 2020